



**oilflow**

**AUTOMOTIVE | INDUSTRIAL**  
lubricants, greases and fluids

# LUBEX

Products



## FEEL THE DIFFERENCE. TRUST LUBEX!

LubeX products are designed to suit your needs. From automotive to industrial uses, this product range ensures your high milage components are well protected and last longer. With a special selection of hydraulic oils, brake fluids and battery water, this range of trusted fluids and oils is an affordable alternative to our competitor's leading products.



[www.oilflow.co.za](http://www.oilflow.co.za)

Email • [sales@oilflow.co.za](mailto:sales@oilflow.co.za)

Tel • 011 827 5848





## **About Oilflow**

Since 1997, Oilflow has been a leading manufacturer of lubricants, greases, fluids, and cleaning products within the automotive and industrial sectors. We're ISO 9001 : 2015 certified and guarantee quality products and services giving you value for money! We are a customer driven manufacturer and bottling specialist for local & international distributors of quality multi-industry lubricants, cleaning products and specialised fluids. With an undying commitment to exceptional service, we ensure our retail and distribution partners' business goes undisturbed with guaranteed stock availability and speedy delivery nationwide and throughout the globe.

## **Engine Oils**

LubeX houses entry spec & superior engine oils that meet industry performance standards as well as OEM specifications. LubeX engine oils are blended using SABS approved virgin base oils and high-quality additives to provide optimum lubrication, cleanliness, maximum wear protection and improved engine performance.

## **Gear Oils**

LubeX's premium automotive gear oils are formulated with special friction modifiers, virgin base oils, anti-wear, antioxidant, anti-foam, anti-corrosion and extreme pressure additives. This combination ensures smooth squeak, chatter free and protected gear teeth.

## **Antifreeze**

LubeX Antifreeze 33% premix is suitable for all types of liquid cooled engines. It is ready to use and provides effective protection against cold. It is formulated with a broad spectrum of corrosion inhibitors.

## **Hydraulic Oils**

LubeX hydraulic oils are formulated with quality anti-wear, anti-rust, and anti-foam additives to give excellent performance and wear protection to hydraulic systems which call for DIN 51524 Part II (ISO 68), ISO Standard 6743 Part 4, Type HR.



### **Transmission Fluids**

LubeX automatic transmission fluids are suitable for use when the manufacturer calls for a Dexron-II fluid. They're blended from virgin base oils, which have been fortified with anti-wear, antioxidant, anti-foam, anti-corrosion, and viscosity index improvers together with friction modifiers. This blend of components gives high levels of performance and long service life.

### **Brake Fluids**

LubeX brake fluid dot 3 is a high-quality brake fluid suitable for use in brake and clutch applications in cars, trucks, buses, and motorcycles where FMVSS DOT 3 fluids are specified.

### **Battery Water**

LubeX Battery Water has undergone thorough filtration, reverse osmosis, de-ionization and ozonation. In order to ensure superior quality, the purification processes are necessary to remove the impurities such as Calcium and Magnesium ions and other contaminants that may interfere with electrolysis during battery operation.

### **Penetrating Spray**

LubeX penetrating spray is a powerful release agent for corroded threaded fasteners and other seized components. It has unique properties that incorporate corrosion inhibitors to provide a protective film against further attack after use.

### **Hand Grit**

For effective cleaning, trust LubeX waterless standard heavy-duty hand cleaner with grit designed for use on oils, grease and general grime resistant to soaps.

**Product Code**

**Item Description**

**Standard Specifications**

# HAND GRIT



LXHAND05	LUBE X HAND GRIT 20X500 GR	Appearance: Buttery with grit, Ph: 8.5 max, Solubility: Partially soluble, Odour: Lavender
LXHAND5	LUBE X HAND GRIT 5 KG	

**Product Code**

**Item Description**

**Standard Specifications**

# ENGINE OILS



LX30SFCD05	LUBE X 30 SF/CD 20X500 ML	SAE 30, API SF/CD, MIL-L2104D, MIL-L2164D, DETROIT DIESEL, FORD GM, CCMC D2
LX30SFCD5	LUBE X 30 SF/CD 4X5 L	
LX30SFCD20	LUBE X 30 SF/CD 20 L	
LX30SFCD210	LUBE X 30 SF/CD 210 L	
LX30SFCD1000	LUBE X 30 SF/CD 1000 L	
LX40SFCD05	LUBE X 40 SF/CD 20X500 ML	SAE 40, API SF/CD, MIL-L2104D, MIL-L2164D, Detroit Diesel, FORD GM, CCMC D2
LX40SFCD1	LUBE X 40 SF/CD 12X1 L	
LX40SFCD4	LUBE X 40 SF/CD 4X4 L	
LX40SFCD5	LUBE X 40 SF/CD 4X5 L	
LX40SFCD20	LUBE X 40 SF/CD 20 L	
LX40SFCD210	LUBE X 40 SF/CD 210 L	SAE 40, API SF/CF-4, MIL-L-2104C, CCMC, ALLISON C3 MB 227, MB 228, GM DETROIT DIESEL
LX40SFCD1000	LUBE X 40 SF/CD 1000 L	
LXMAG40SF405	LUBE X 40 SF/CF 4 MAGNUM 20X500 ML	
LXMAG40SF45	LUBE X 40 SF/CF 4 MAGNUM 4X5 L	
LXMAG40SF420	LUBE X 40 SF/CF 4 MAGNUM 20 L	
LX2050SFCD05	LUBE X 20W50 SF/CD 20X500 ML	SAE 20W50, API SF/CD, MIL-L2104D, MIL-L2164D, DETROIT DIESEL, FORD GM, CCMC D2
LX2050SFCD4	LUBE X 20W50 SF/CD 4X4 L	
LX2050SFCD5	LUBE X 20W50 SF/CD 4X5 L	
LX2050SFCD20	LUBE X 20W50 SF/CD 20 L	
LX2050SFCD210	LUBE X 20W50 SF/CD 210 L	
LX2050SFCD1000	LUBE X 20W50 SF/CD 1000 L	SAE 15W40, API SF/CF-4, ACEA E2-96, MB 228.0, MB 228.1, MAN 270, MAN 271.
LX1540SF405	LUBE X 15W40 SF/CF4 20X500 ML	
LX1540SF45	LUBE X 15W40 SF/CF4 4X5 L	
LX1540SF420	LUBE X 15W40 SF/CF4 20 L	

Product Code	Item Description	Standard Specifications
--------------	------------------	-------------------------

LX1540SFCF4210	LUBE X 15W40 SF/CF4 210 L	SAE 15W40, API SF/CF-4, ACEA E2-96, MB 228.0, MB 228.1, MAN 270, MAN 271.
LX1540SFCF41000	LUBE X 15W40 SF/CF4 1000 L	

Product Code	Item Description	Standard Specifications
--------------	------------------	-------------------------



LX33ANTBL1	LUBE X ANTIFREEZE 33% BLUE 12X1 L	Appearance: Blue, Density @ 20° C kg/l: 1.125, Freezing Point: -20°C, Concentration: 33%
LX33ANTBL5	LUBE X ANTIFREEZE 33% BLUE 4X5L	
LX33ANTBL20	LUBE X ANTIFREEZE 33% BLUE 20 L	
LX33ANTGR1	LUBE X ANTIFREEZE 33% GREEN 12X1 L	Appearance: Green, Density @ 20° C kg/l: 1.125, Freezing Point: -20°C, Concentration: 33%
LX33ANTGR5	LUBE X ANTIFREEZE 33% GREEN 4X5 L	
LX33ANTGR20	LUBE X ANTIFREEZE 33% GREEN 20 L	
LX33ANTRD1	LUBE X ANTIFREEZE 33% RED 12X1 L	Appearance: Red, Density @ 20° C kg/l: 1.125, Freezing Point: -20°C, Concentration: 33%
LX33ANTRD5	LUBE X ANTIFREEZE 33% RED 4X5 L	
LX33ANTRD20	LUBE X ANTIFREEZE 33% RED 20 L	
LX33ANTYE1	LUBE X ANTIFREEZE 33% YELLOW 12X1 L	Appearance: Yellow, Density @ 20° C kg/l: 1.125, Freezing Point: -20°C, Concentration: 33%
LX33ANTYE5	LUBE X ANTIFREEZE 33% YELLOW 4X5 L	
LX33ANTYE20	LUBE X ANTIFREEZE 33% YELLOW 20 L	

Product Code	Item Description	Standard Specifications
--------------	------------------	-------------------------



LXPEN24300GR	LUBE X PENETRATING SPRAY 24X300g	Extreme performance, silicone-based, reinforced, release spray, Lubex penetrating spray is a powerful release agent for corroded threaded fasteners and other seized components. Penetrating spray has unique properties not shown by conventional mineral oil. Lubex penetrating spray incorporates corrosion inhibitors to provide a protective film against further attack after use.
LXPEN6300GR	LUBE X PENETRATING SPRAY 6X300g	

**Product Code**

**Item Description**

**Standard Specifications**

# HYDRAULIC OILS



LXHYD465	LUBE X HYD 46 LIGHT IND 4X5 L
LXHYD4620	LUBE X HYD 46 LIGHT IND 20 L
LXHYD46210	LUBE X HYD 46 LIGHT IND 210 L
LXHYD461000	LUBE X HYD 46 LIGHT IND 1000 L
LXHYD681	LUBE X HYD 68 LIGHT IND 12X1 L
LXHYD685	LUBE X HYD 68 LIGHT IND 4X5 L
LXHYD6820	LUBE X HYD 68 LIGHT IND 20 L
LXHYD68210	LUBE X HYD 68 LIGHT IND 210 L
LXHYD681000	LUBE X HYD 68 LIGHT IND 1000 L

DDIN 51524 Part II (ISO 68), ISO Standard 6743 Part 4, Type HR

**Product Code**

**Item Description**

**Standard Specifications**

# BRAKE FLUIDS



LXBRAKE302	LUBE X BRAKE FLUID DOT 3 25X200 ML
LXBRAKE305	LUBE X BRAKE FLUID DOT 3 20X500 ML
LXBRAKE35	LUBE X BRAKE FLUID DOT 3 4X5 L
XBRAKE320	LUBE X BRAKE FLUID DOT 3 20 L


FMVSS NO 166 DOT 3, SAE J 1703, ISO 4925 Class 3

**Product Code**

**Item Description**

**Standard Specifications**

# GEAR OILS



LX90GL405	LUBE X EP 90 GL 4 20X500 ML
LX90GL45	LUBE X EP 90 GL 4 4X5 L
LX90GL420	LUBE X EP 90 GL 4 20 L

SAE 90, API GL-4

Product Code

Item Description

Standard Specifications

# TRANSMISSION FLUIDS



LXDX205	LUBE X ATF DX II 20X500 ML	Dexron II, GM IID, FORD MERCON, General Motors type A Suffix A, Allison C-4, Caterpillar TO-2, ZF TE-ML 04D, 14A, VOITH H55.6335.xx, MAN 339 typ V1 and Z1, MERCEDES MB-Approval 236.9, VOLVO 97341
LXDX25	LUBE X ATF DX II 4X5 L	
LXDX220	LUBE X ATF DX II 20 L	
LXDX2210	LUBE X ATF DX II 210 L	

Product Code

Item Description

Standard Specifications

# BATTERY WATER



LXBATWAT1	LUBE X BATTERY WATER 12X1 L	Calcium as Ca: 0, Magnesium as Mg: 0, Sodium as Na: 0, Potassium as K: 0, Chloride as Cl: 0, Sulphate as SO4: 0, Alkalinity as CaCO3: <8, Nitrate as N: 0, Flouride as F: 0, TDS: 0,02, PH: 6,7, Iron as Fe: 0 Aluminium as Al: 0
LXBATWAT5	LUBE X BATTERY WATER 4X5 L	
LXBATWAT20	LUBE X BATTERY WATER 20 L	
LXBATWAT1000	LUBE X BATTERY WATER 1000 L	